

DEP ID EXT ID		Back Cove, Portland - Rep 1 L9632-5	Back Cove, Portland - Rep 2 L9632-11
Compound	%rec		
PCB-1L	15-150	39.7	13.2
PCB-3L	15-150	42	13.5
PCB-4L	25-150	47.2	15.6
PCB-15L	25-150	58.9	18.7
PCB-19L	25-150	53.9	17.2
PCB-37L	25-150	72.4	21.4
PCB-54L	25-150	56.5	18.5
PCB-77L	25-150	94.6	29.7
PCB-81L	25-150	92.3	26.9
PCB-104L	25-150	60.8	19.3
PCB-105L	25-150	93.7	27.3
PCB-114L	25-150	87.6	24.7
PCB-118L	25-150	92.2	27.5
PCB-123L	25-150	90.1	25.8
PCB-126L	25-150	91.2	26.4
PCB-155L	25-150	66.4	20.6
PCB-156L + 157L	25-150	85.9	25.9
PCB-167L	25-150	86.4	25.8
PCB-169L	25-150	83.1	21.9
PCB-170L	25-150	94.6	25.9
PCB-180L	25-150	96.2	29.6
PCB-188L	25-150	80.9	25.1
PCB-189L	25-150	87	29
PCB-202L	25-150	91	26
PCB-205L	25-150	88.7	28
PCB-206L	25-150	94.6	49
PCB-208L	25-150	93.8	31.2
PCB-209L	25-150	91.7	29.7
CLEANUP STANDARD			
PCB-28L	30-135	66.3	20.4
PCB-111L	30-135	83.2	24.2
PCB-178L	30-135	91.9	27.5

Back Cove, Portland - Rep 3
L9632-17

Cocktail Cove, GDI - Rep 1
L9632-3

Cocktail Cove, GDI - Rep 2
L9632-9

31.4	35	48.8
34.6	37.9	50.7
39.9	42.5	62.7
48.1	50.8	69.9
48.4	48.2	71.7
65.1	55.7	78.4
51.9	46.2	72.1
81.7	64	96.7
81	63.7	99.9
61.2	49.7	76.1
90.2	63.3	102
85.9	61.4	97.3
90.7	63.6	99.5
89.7	63.8	98.6
85	58.7	98.2
73.1	57.2	78.8
84	61.2	91.8
86.8	62.9	93.3
77.3	55.6	89.8
94.2	72.8	103
101	74.3	103
88	69.7	92.2
88.4	62.9	93.8
101	74.8	101
91.1	63.8	93.9
102	77.2	114
99.4	72	101
95.6	68.3	98.5
60.7	54.1	84.6
82.1	62.5	94.9
93.7	70.5	101

Cocktail Cove, GDI - Rep 3
L9632-15

Mill Creek, Falmouth - Rep 1
L9632-2 (A)

Mill Creek, Falmouth - Rep 1 (Du
WG21297-103 (DUP L9632-2)

41.2	38.1	50.9
37.3	39.4	54.7
47.4	43.2	59.6
47.7	48.6	67.9
51.6	45	63.8
53.5	54.1	78.1
49	44	62.3
68.7	68.7	93.9
70.8	67.3	92.3
54.1	49.5	67.4
76.1	73	92.3
71.6	68.1	86.9
74.5	71.2	90.6
73.3	69.8	89.8
73.2	67.7	90.3
58	56.2	69.1
72	68.6	85.3
72.6	69.4	85.8
69.4	63.4	82.9
75.6	84.3	93.3
76.9	84.8	93.3
63.7	76.3	83.6
69.5	67.2	81.8
73.4	84	92.8
73.4	72.8	87
87.2	90.1	105
75.6	80.7	88.3
75.9	79.5	95.1
56.2	51.7	73.8
67.9	67.7	86.1
76.1	78.7	92.3

Mill Creek, Falmouth - Rep 2
L9632-8

Mill Creek, Falmouth - Rep 3
L9632-14

Spruce Creek, Kittery - Rep 1
L9632-1

38.3
39.9
45.2
54.1
50
61.8
50.2
74
72.4
55.2
75.1
71.5
73.6
73.2
72.7
59.9
71.3
72.1
67.8
82.8
82.9
73.1
73
82.8
74.5
90
80.9
78.9

45.3
45.8
51.8
58.3
57.4
64.8
54.3
79.8
78.4
58.1
80.4
75
78.1
76.6
78.5
62.3
76.3
76.5
74.3
81.8
82.5
68.6
75
78.2
78.3
91.3
80.9
83

33.4
35.3
39.5
51.7
46.8
64.3
47.8
78.9
77.7
54.3
76.5
71.4
74.8
72.8
76.4
60.4
74.8
73.9
72.6
85.1
86.7
71.4
76.1
82.7
78.4
89.6
82.2
82.5

59.4
68.7
79.2

62.2
69.3
78.2

58.5
70.1
79.3

Spruce Creek, Kittery - Rep 2
L9632-7

Spruce Creek, Kittery - Rep 3
L9632-13

Taunton Bay, Franklin - Rep 1
L9632-4

47.3	42.3	40.7
48.5	45.8	42.5
54.6	51.7	48.3
67.3	66.8	58.4
59.6	59.7	52.3
79	75.1	63.2
61.4	60.2	54.2
96.6	88	74.1
95.5	88.4	73.1
67.4	60.8	57.3
96.3	85.5	75.4
90.3	81.4	72.4
95.3	83.6	74.2
92.2	84.3	75.2
93.9	83.9	73.3
71.2	63.8	62.4
87.8	75	70.7
88.2	76.2	72.3
85.8	68.6	67.6
99.9	72.3	79.2
100	78	78.9
88.1	69.9	71.9
92.8	76.1	71.3
96.8	75.8	79.2
91	73.3	71.1
105	82.9	77.4
97.9	79.6	78.1
96	73.3	77.4
73.3	70.3	64.4
86.8	77.3	73.8
94	81.4	82

Taunton Bay, Franklin - Rep 2
L9632-10

Taunton Bay, Franklin - Rep 3
L9632-16

32.4	37.7
36	38
41.6	40.5
56.4	46.3
49.3	45.1
63.4	56.1
51.7	43.1
74	71.9
72.3	69.1
56.6	50.9
74.7	74.6
70.4	69.9
73	71.6
73.2	72.7
73.1	76.4
58.6	56.6
68.4	68.7
69.6	70.3
66.3	67.6
76	73.2
75.8	74.6
68.2	63.7
69.7	70.3
76.8	75.4
70.6	71.4
75.5	75.3
75.1	75.2
75	75.5
61.9	50.8
69.5	65.3
75.9	73.8

Lab ID File ID	Laboratory Control Standards (LCS) Spiked Matrix WG21297-102		
Compound	Spike Conc. (ng/Kg)	LCS Range*	ng/Kg
PCB-1	50	25-75	50.5
PCB-3	50	25-75	51.0
PCB-4	50	25-75	51.5
PCB-15	50	25-75	50.5
PCB-19	50	25-75	52.5
PCB-37	50	25-75	49.4
PCB-54	50	25-75	53.5
PCB-77	50	25-75	50.5
PCB-81	50	25-75	50.0
PCB-104	50	25-75	50.0
PCB-105	50	25-75	49.7
PCB-114	50	25-75	50.0
PCB-118	50	25-75	51.5
PCB-123	50	25-75	50.5
PCB-126	50	25-75	49.9
PCB-155	50	25-75	49.9
PCB-156 + 157	100	50-150	102
PCB-167	50	25-75	50.5
PCB-169	50	25-75	50.0
PCB-188	50	25-75	49.3
PCB-189	50	25-75	48.0
PCB-202	50	25-75	49.3
PCB-205	50	25-75	50.5
PCB-206	50	25-75	51.5
PCB-208	50	25-75	52.0
PCB-209	50	25-75	49.7